





7153



Wear layer option: 0.3 MM (12 MIL) & 0.5 MM (15 MIL)
Size: 306 X 612 MM
Thickness: 4 MM to 6 MM
Edge Profile: Micro Bevel Edge & Painted Bevel Edges.
Installation method: Uniclic

7152



Wear layer option: 0.3 MM (12 MIL) & 0.5 MM (15 MIL)
Size: 306 X 612 MM
Thickness: 4 MM to 6 MM
Edge Profile: Micro Bevel Edge & Painted Bevel Edges.
Installation method: Uniclic

7151



Wear layer option: 0.3 MM (12 MIL) & 0.5 MM (15 MIL)
Size: 306 X 612 MM
Thickness: 4 MM to 6 MM
Edge Profile: Micro Bevel Edge & Painted Bevel Edges.
Installation method: Unicleic



306x612 mm



5165



5166



Wear layer option: 0.3 MM (12 MIL) & 0.5 MM (15 MIL)

Size: 201 X 1220 MM

Thickness: 4 MM to 6 MM

Edge Profile: Micro Bevel Edge & Painted Bevel Edges.

Installation method: Uniclic





5163



5164



Wear layer option: 0.3 MM (12 MIL) & 0.5 MM (15 MIL)

Size: 201 X 1220 MM

Thickness: 4 MM to 6 MM

Edge Profile: Micro Bevel Edge & Painted Bevel Edges.

Installation method: Uniclic

5159



5160



5161



5162



Wear layer option: 0.3 MM (12 MIL) & 0.5 MM (15 MIL)

Size: 201 X 1220 MM

Thickness: 4 MM to 6 MM

Edge Profile: Micro Bevel Edge & Painted Bevel Edges.

Installation method: Uniclic

5157



5158



Wear layer option: 0.3 MM (12 MIL) & 0.5 MM (15 MIL)
Size: 201 X 1220 MM
Thickness: 4 MM to 6 MM
Edge Profile: Micro Bevel Edge & Painted Bevel Edges.
Installation method: Uniclic



5153



5154



5155



5156



Wear layer option: 0.3 MM (12 MIL) & 0.5 MM (15 MIL)

Size: 201 X 1220 MM

Thickness: 4 MM to 6 MM

Edge Profile: Micro Bevel Edge & Painted Bevel Edges.

Installation method: Uniclic

5151



5152



Wear layer option: 0.3 MM (12 MIL) & 0.5 MM (15 MIL)

Size: 201 X 1220 MM

Thickness: 4 MM to 6 MM

Edge Profile: Micro Bevel Edge & Painted Bevel Edges.

Installation method: Uniclic



201x1220 mm





6177



6178



6179



Wear layer option: 0.3 MM (12 MIL) & 0.5 MM (15 MIL)
Size: 181 X 1220 MM
Thickness: 4 MM to 6 MM
Edge Profile: Micro Bevel Edge & Painted Bevel Edges.
Installation method: Uniclic

6175



6176



Wear layer option: 0.3 MM (12 MIL) & 0.5 MM (15 MIL)

Size: 181 X 1220 MM

Thickness: 4 MM to 6 MM

Edge Profile: Micro Bevel Edge & Painted Bevel Edges.

Installation method: Uniclic



6171



6172



6173



6174



Wear layer option: 0.3 MM (12 MIL) & 0.5 MM (15 MIL)
Size: 181 X 1220 MM
Thickness: 4 MM to 6 MM
Edge Profile: Micro Bevel Edge & Painted Bevel Edges.
Installation method: Uniclic



6169



6170



Wear layer option: 0.3 MM (12 MIL) & 0.5 MM (15 MIL)

Size: 181 X 1220 MM

Thickness: 4 MM to 6 MM

Edge Profile: Micro Bevel Edge & Painted Bevel Edges.

Installation method: Uniclic

6165



6166



6167



6168



Wear layer option: 0.3 MM (12 MIL) & 0.5 MM (15 MIL)
Size: 181 X 1220 MM
Thickness: 4 MM to 6 MM
Edge Profile: Micro Bevel Edge & Painted Bevel Edges.
Installation method: Uniclic



6163



6164



Wear layer option: 0.3 MM (12 MIL) & 0.5 MM (15 MIL)

Size: 181 X 1220 MM

Thickness: 4 MM to 6 MM

Edge Profile: Micro Bevel Edge & Painted Bevel Edges.

Installation method: Uniclic

6159



6160



6161



6162



Wear layer option: 0.3 MM (12 MIL) & 0.5 MM (15 MIL)

Size: 181 X 1220 MM

Thickness: 4 MM to 6 MM

Edge Profile: Micro Bevel Edge & Painted Bevel Edges.

Installation method: Uniclic

6157



6158



Wear layer option: 0.3 MM (12 MIL) & 0.5 MM (15 MIL)
Size: 181 X 1220 MM
Thickness: 4 MM to 6 MM
Edge Profile: Micro Bevel Edge & Painted Bevel Edges.
Installation method: Uniclic



6153



6154



6155



6156



Wear layer option: 0.3 MM (12 MIL) & 0.5 MM (15 MIL)

Size: 181 X 1220 MM

Thickness: 4 MM to 6 MM

Edge Profile: Micro Bevel Edge & Painted Bevel Edges.

Installation method: Uniclic

6151



6152



Wear layer option: 0.3 MM (12 MIL) & 0.5 MM (15 MIL)
Size: 181 X 1220 MM
Thickness: 4 MM to 6 MM
Edge Profile: Micro Bevel Edge & Painted Bevel Edges.
Installation method: Uniclic





181x1220 mm



YOUR ULTIMATE
NATURAL
LIFESTYLE!

THE STORY



The most popular materials for

Interior Renovations



The unique features of SPC Flooring

- 

Less than 24 hours installation in a day
- 

Highly Durable
- 

Hassle free installation
- 

Noise and Dust free
- 

Healthy Floor

The unique features of SPC Flooring



We know pets can completely wreck a floor between accidents, nails and running. SPC is built to handle it. It's also less slippery on those little puppy paw.



Completely fire resistance. Not only is it non-combustible; it also acts as a barrier in the event of a fire.



SPC vinyl floor can withstand the exposure to sunlight, with its original colour and shade remaining unaltered.



It has non-slip properties, combining a natural feel with high-level resistance against slipping.



It's perfect for business owners, pets and water-prone areas. Moisture proof with Zero surface porosity.



High resistance to regular cleaning product. Completely stain resistance.

SPC Flooring, what is the role of SPC in Flooring actually ?



Easy To
Clean



Impact
Resistances



Stain
free



Pest
free



Flame
Resistant



Weather
Proof



Easy to
Carry



Mix &
Match



Water
Proof



Green
Product



Lower
Weight



Scratch
Resistant



Recyclable



Quick
Installation



Hassle Free
Logistics


NATURAL WOOD LIFE



THE MOST DURABLE SPC FLOORING

SPC rigid core flooring combines the strength of stone and the beauty of wood; an all for one solution for your home decoration. SPC flooring is constructed by UV coating, Wear layer, SPC print layer, SPC core and Balanced layer. For the backing, EVA, IXPE foam or Cork wood are available as options. Its advantages include good dimensional stability, high peel strength, almost no noise when walking, no warping, no distortion, 100% waterproof, heat and sound insulation, eco-friendly rigid floor and zero harmful emissions

Multi-layer construction





COMFORTABLE
FLOORING FOR
A COMFORTABLE
LIFESTYLE!



Why Us?

Hello from your surface solution partner. Makers & Exporters of The Finest Surface to justify your lifestyle. The ceramic sector has escalated over the years into a full grown and well-established industry. Innovations and manufacturing of surfaces have helped global citizens better live. Our plants are spread across 45 acres at Morbi in the state of Gujarat. With well-equipped machinery and a technical team today we are able to make a mark as the best surface solution provider.



ULTIMATE SHOWCASE OF SPLENDOUR ON YOUR FLOOR

Let your space fill your canvas
turning your abode into a timeless masterpiece.



KEVIN CERAMICS PVT. LTD.
8-A NATIONAL HIGHWAY,
SURVEY NO. 97//P1 AND 100/P4,
B/H MAKANSAR VID,SARTANPAR ROAD,
WANKANER,Morbi,Gujarat,363621

+91 7486044550
export@peacebuildcon.com
www.peacebuildcon.com

Follow us on :

